
SynTox 3D Toxicology Model

SynToxTM 3D toxicology model replicates a histological slice of a tissue with in vivo like multicellular architecture.


- Physiologically realistic vascular and tissue cell interactions
- Universal platform to model architecture specific to desired organs
- Real time monitoring of cellular responses
- Compatible with standard analytical instruments for both on chip and off chip assays including omic methodologies





SynTox 3D Toxicology Model recreates the in vivo microenvironment by recreating a histological slice operating in an in vitro format.

SynTox used to model toxicity in liver, vascular and cardiac tissues


Liver and heart cells were co-cultured with their respective endothelial cells and analyzed for toxicity after treatment with various drugs.








Idealized network co-culture Chip (IMN2-Radial)



Idealized network co-culture Chip (IMN2-Linear)



Chip Schematics - Depending on your specific research applications you can select from basic IMN2 Radial or Linear chip configurations.

Product Purchase Options

Catalog#	Description	Price
404002, 404004	SynTox Toxicology Model Starter Kit - Includes 10 chips, pneumatic priming device, tubing, clamps, syringes and needles	\$2,100
102016-STo3	SynTox Toxicology Model Chip - IMN2 - Radial (3um slits) - Pack of 3	\$375
108013-STo3	SynTox Toxicology Model Chip - IMN2 - Linear (3um slits) - Pack of 3	\$375

Contract Research Services using the SynTox Model

Real-time Monitoring of Organ and Species-Specific Drug Toxicity

SynTox Models Available

- Monoculture using endothelial cells
- Co-Culture with stromal/tissue cells

Assays available:

- Drug-induced vascular leakage
- Vascular inflammation
- Biomarker analysis
- Efficacy and toxicity screening
- Dose-response
- Cell viability
- Mechanism of action studies

Sample Endpoints:

Sample Endpoints: Vascular Permeability measurements using fluorescent-tagged molecule. If untagged use mass spectrometry or other readouts from collected effluents, TEER resistance measurements, Viability, ROS, Real-time imaging of cellular changes, Biomarker analysis, Quantitation of immune cell interactions with the endothelium, Biomarker screening using immunoassays. Collect cells or effluents for downstream genomic, proteomic or metabolomic analysis. Contact us to discuss your specific project needs.

Publications using the SynTox Model

A 3-dimensional microfluidic platform for modeling human extravillous trophoblast invasion and toxicological screening (2019) Yong Pu *et al. Lab Chip*, 2021, 21, 546-557



Download Flyer

